



Ⓢ Millers Falls

# HAND TOOLS







**Millers Falls**

**hand tools**

## Millers Falls ... the Professional's choice

Millers Falls hand tools have been used by professional craftsmen throughout the world for over a century. Their reputation for quality and value is unsurpassed in the hand tool industry.

Every hand tool bearing the Millers Falls name is manufactured to exacting standards

and "job tested" to assure proper strength, balance, ease of handling and reliability on the job.

When superbly crafted and highly durable hand tools are required, the **professionals** choose **Millers Falls**.

## warranty

Millers Falls warrants to the original purchaser for (1) one year from date of purchase, to correct by repair or parts replacement at no charge, any defect which upon our examination proves to have been caused by faulty materials or workmanship. This warranty does not cover abuse, normal wear or careless handling and is void if the tool has been repaired or serviced by personnel not authorized by Millers Falls. Simply return the tool (properly packed with all transportation charges prepaid) to the nearest Millers Falls Distribution Center or Authorized Service Station. No other warranty, however expressed or implied, on our products is authorized by us.

## index

HAND TOOLS .....	49-76	PUNCHES .....	52
AWLS .....	73	RIPPING BARS .....	76
AXES AND HATCHETS .....	51	RULES .....	
BEVELS .....	62	Folding Wood .....	62, 64
BRACES .....	67, 68	Tapes, Rules and Replacement	
BRACE BITS .....	68	Blades .....	63, 64
CARVING TOOLS .....	74	SAWS .....	
CHALK LINES AND CHALK .....	62	Bow Saws .....	57
CHISELS, WOOD .....	53	Compass Saws .....	55
DIVIDERS .....	67	Coping Saws .....	56
DRILL POINTS .....	69	Drywall Saws .....	56
DRILLS, HAND .....	68, 69, 70	Hacksaws .....	54, 55
DRILLS, STAR .....	53	Hand Saws .....	54
GLASS CUTTERS .....	74	Keyhole Saws .....	56
HAMMERS .....	51, 52	Nest of Saws .....	56
HAMMER HOLSTERS .....	52	Saw Sets .....	57
HEX KEY WRENCHES .....	61	SAWHORSE BRACKETS .....	75
KNIVES:		SCRAPERS, WALL .....	58
Linoleum Knives .....	58	SCRAPERS, WOOD .....	75
Putty Knives .....	58	SCREWDRIVERS .....	70-73
Spackling Knives .....	58	SHEARS AND SNIPS .....	60
Utility Knives and Blades .....	59	SQUARES, CARPENTERS .....	66
LETTERS AND FIGURES, STEEL .....	75	SQUARES, COMBINATION .....	65, 66
LEVELS .....	64, 65	TACK CLAW .....	75
MITRE BOXES .....	57, 58	TAP .....	61
NAIL PULLER .....	76	TAP WRENCH .....	61
NAIL SETS .....	52	THICKNESS GAUGES .....	62
PLANES .....	59, 60	TUBING CUTTERS .....	61
PLIERS, LOCKING .....	61	TUBING FLARING TOOL .....	61
PLUMB BOBS .....	62	VICES, BENCH .....	75
POLISHING HEAD .....	75	WRECKING BARS .....	76
PRY BARS .....	76	YARDSTICKS .....	64





**Millers Falls**

**hand tools**

## AXES/HATCHETS



9260

**Scout Axe With Sheath.** Precision forged and polished quality tool steel head. Steel wedged durable hickory handle. Beveled nail slot.



9261

**Hunters Axe.** Precision forged and polished quality tool steel head. Steel wedged durable hickory handle.



9255

**Half Hatchet.** Polished face and bit with ground sides. Octagon pole and steel wedged durable hickory handle. Beveled nail slot.



9256

**Lath Hatchet.** Ground steel head, scored face and steel wedged durable hickory handle.



9257

## HAMMERS

**Brick Hammer.** Ground face and sides with steel wedged durable hickory handle.



9697

**Flooring/Framing Hammer.** Round pole, octagon neck pattern. Fully polished head with steel wedged selected hickory handle.



9755


**Nail Hammers.** Fully polished head with full octagon pattern. Steel wedged selected octagon hickory handle.



9754



9126



1416

**Nail Hammers.** Bell faced, round neck pattern with polished sides and face. Steel wedged selected hickory handle.

**Nail Hammers.** Ground and semi-polished forged heat treated alloy head. Hardwood handle.

Cat. No.	Specifications
9260	1 1/4 lb. 3" cut 13" overall length
9261	2 1/4 lb. 3 1/4" cut 19" overall length
9255	3 1/2" cut 13" overall length
9256	2 1/4" cut 13" overall length
9757	24 oz.
9697	20 oz.
9751	13 oz. claw
9752	16 oz. claw
9753	16 oz. ripping
9754	20 oz. claw
9755	20 oz. ripping
9125	7 oz. claw
9126	16 oz. claw
9127	16 oz. ripping
1418	7 oz. claw
1417	16 oz. claw
1416	16 oz. ripping



**Millers Falls**

**hand tools**

**HAMMERS (continued)**



**Fiberglass Handle**

**Nail Hammers.** Polished, forged and heat treated head. Red fiberglass handle with rubber "Cushion-Grip."

**All Purpose Nail Hammer.**

Hardwood handle with polished curved back claw.

**Hammer Holster.** Fine cowhide leather with belt loop and steel ring to hold any nail hammer.



**NAIL SETS & PUNCHES**

**Nail Sets.** One piece alloy steel hardened and tempered for long life. Black body. 4" long. "C" denotes carded.


**Nail Set Pak.** Assortment of three nail sets. One each numbers 801, 802, 803. Carded.

**Center Punch.** One piece alloy steel hardened and tempered. Round knurled shank with square head to prevent rolling. 4" long. "C" denotes carded.

**Prick Punch.** One piece steel hardened and tempered. Round knurled shank with square head to prevent rolling. 4" long. "C" denotes carded.

**Self-Centering Screw Hole Punch.** Self-positioning in any screw hole or countersunk hardware. Spring return. Carded.

**Automatic Center Punch.** Hardened steel point automatically makes accurate impression for marking or drill starting. Adjustable impression mechanism. Replaceable point. Carded.



Cat. No.	Specifications
9516	16 oz. claw
9520	20 oz. claw
9816	16 oz. ripping
9820	20 oz. ripping
9916	16 oz. claw
9870	For all nail hammers
801	$\frac{1}{32}$ " tip, 4" long
801C	
802	$\frac{2}{32}$ " tip, 4" long
802C	
803	$\frac{3}{32}$ " tip, 4" long
803C	
804	$\frac{4}{32}$ " tip, 4" long
804C	
805	$\frac{5}{32}$ " tip, 4" long
805C	
833C	$\frac{1}{32}$ ", $\frac{2}{32}$ " and $\frac{3}{32}$ " nail sets
460	$\frac{5}{16}$ " stock, 4" long
460C	
465	$\frac{3}{8}$ " stock, 4" long
465C	
147C	3" long
462C	4" long

\* Denotes carded or packed in vinyl pouch.





**Millers Falls**

**hand tools**

## WOOD CHISELS



1430-03C



30-05C

**Butt Chisels.** Heavy duty forged alloy steel taper ground and polished blade. Clear red plastic handle with steel cap that centers blow. "C" denotes carded.

**Wood Chisels.** Professional duty forged alloy steel taper ground and polished blade. Clear plastic handle. "C" denotes carded.



1434C



3034C

**Butt Chisel Set.** Assortment of four 30 series butt chisels in protective plastic pouch.

**Wood Chisel Set.** Assortment of four 1430 series wood chisels in protective plastic pouch.

Cat. No.	Specifications
30-01	1/4" width
30-01C	1/4" width
30-02	3/8" width
30-02C	3/8" width
30-03	1/2" width
30-03C	1/2" width
30-04	5/8" width
30-04C	5/8" width
30-05	3/4" width
30-05C	3/4" width
30-06	1" width
30-06C	1" width
30-07	1 1/4" width
30-07C	1 1/4" width
30-08	1 1/2" width
30-08C	1 1/2" width
30-09	2" width
30-09C	2" width
1430-01	1/4" width
1430-01C	1/4" width
1430-02	3/8" width
1430-02C	3/8" width
1430-03	1/2" width
1430-03C	1/2" width
1430-04	5/8" width
1430-04C	5/8" width
1430-05	3/4" width
1430-05C	3/4" width
1430-06	1" width
1430-06C	1" width
1430-07	1 1/4" width
1430-07C	1 1/4" width
1430-08	1 1/2" width
1430-08C	1 1/2" width
3034C	1/4", 1/2", 3/4" and 1" widths
1434C	1/4", 1/2", 3/4" and 1" widths
1216-01	1/4" diam.
1216-02	5/16" diam.
1216-03	3/8" diam.
1216-05	1/2" diam.
1216-07	5/8" diam.
1216-08	3/4" diam.
1216-09	7/8" diam.
1216-10	1" diam.



1216-06

## STAR DRILLS

Forged octagon alloy steel. 12" long. Resharpenable.



**Millers Falls**

**hand tools**

## HAND SAWS



9308

### Professional Crosscut Saws.

First choice of the professional carpenter. Highest quality *Chrome Nickel Alloy Steel* blade features full taper ground to prevent binding. Blade expertly tempered, hardened and highly polished for ultimate cutting ease. Teeth are precision bevel filed. Contoured handle of finest hardwood.



9005

**Deluxe Saws.** Designed for the frequent user. Special saw steel blade is fully polished and bevel filed for faster cuts. Wood handle.



2210

**Crosscut Saws.** High quality ground and tempered blade. Contoured wood handle.



2010

**Tool Box Size.** Filed and set for all purpose sawing. Contoured wood handle. Short profile to fit most tool boxes.



300-01

## HACKSAWS

**Professional Deep Throat Frame.** Extra capacity  $4\frac{3}{4}$ " depth of cut for professionals. Blade tension lever for positive guide tensioning, adjustable for 10" and 12" blades. Four blade positions—ideal for left, right, vertical and flush cutting. Molded handle with hand guard. Blade included.

Cat. No.	Specifications
9308 9310	26", 8 pt., crosscut 26", 10 pt., crosscut
9005 9008 9010	26", 5½ pt., ripping 26", 8 pt., crosscut 26", 10 pt., crosscut
2208 2210	26", 8 pt., crosscut 26", 10 pt., crosscut
2010	20", 10 pt., all-purpose
300-01	4¾" depth of cut, 10" and 12" capacities





**Millers Falls**

**hand tools**


## HACKSAWS (continued)




84



1414



48



1237

**Heavy Duty Industrial Frame.** Heavy gauge rigid steel frame with contoured handle and hand guard. Four-position blade adjustment for left, right and vertical cutting. Frame easily adjusts for 8", 10" and 12" blades. Blade included.

**Tubular Frame.** 5/8" diameter rigid tubular steel frame with full grip die-cast handle. Frame easily adjusts for 10" and 12" blades. Handy thumb hook adjusts to most comfortable position. Blade included.

**Semi-Industrial Frame.** Rigid steel frame with high impact molded handle. Frame easily adjusts for 8", 10" and 12" blades. Four blade positions—ideal for left, right, vertical and flush cutting. Plated. Blade included.

**Pistol Grip.** Shatter resistant pistol grip handle, reinforced back. Four blade positions. Frame easily adjusts for 8", 10" and 12" blades. Blade included.

## COMPASS SAWS



\*345C



\*9345C



341

**Two Position Compass Saw.** Tempered, filed and set alloy steel blade. Two position wood handle for regular and flush cutting. Carded.

**Compass Saw Set.** Includes 12" and 14" tempered, filed and set alloy steel blades. Two position handle for regular and flush cutting. High impact plastic handle. Carded.

**Compass Saw.** For inside straight and curve cutting in wood and plywood. Filed and set 12" blade. Hardwood handle.

**Compass Saw Replacement Blades.** For use with 341, 9345C and 345C Compass Saws.

Cat. No.	Specifications
84	3 1/4" depth of cut, 8", 10" and 12" capacities
1414	4" depth of cut, 10" and 12" capacities
48	3 1/4" depth of cut, 8", 10" and 12" capacities
1237	3 1/4" depth of cut, 8", 10" and 12" capacities
345C	14", 8 pt. blade
9345C	Includes 12" and 14", 8 pt. blades
341	12", 8 pt. blade
R12 R14	12", 8 pt. blade 14", 8 pt. blade



**Millers Falls**

**hand tools**

## COPING SAWS



45C




49

**Plated Steel Frame.** Hardwood handle. 6½" pin end blade rotates to any position. Accommodates all 6½" pin-end or lock-loop blades. Blade included.

**Coping Saw Set.** Rustproof frame with plastic handle. Includes four 6½" blades. Carded.

**Coping Saw Replacement Blade.** Heavy duty pin end. For use with all Millers Falls Coping Saws. Uniformly heat treated with accurately set teeth for fast, clean cutting.



\* 499C

## DRYWALL SAWS

**Rotating Blade Drywall Saw.** Blade rotates and locks in eight positions. Ideal for cutting openings for outlet, switch and wall fixtures. Carded.

**Drywall Saw Replacement Blade.** For use with Model 499C Drywall Saw.



895

## KEYHOLE SAWS

**Keyhole Saw.** Hand contoured for easy use. Die-cast handle allows quick rotation of blade to eight locking positions. Includes combination wood/metal blade.

**Nest of Saws.** Same as Model 895 but with extra 24 tooth metal and 7 tooth wood blades. 12" long. Carded.



\* 995C

**Nest of Saws.** Contains handle plus one wood cutting blade and two metal cutting blades. Great for cutting nails, lath, plaster board, BX cable, conduit etc. Carded.

**Replacement Blades.** For use with Model 789C and 9370C. 7½" long.

**Replacement Blades.** For use with Models 895, 995C and 499C. 12" long.



\* 9370C

Cat. No.	Specifications
52	5" throat
49	6¾" throat
45C	4¾" throat
65	6½" long
499C	5½", 9 tooth blade
149	5½", 9 tooth
895	12", 10 tooth blade
995C	12", 10 tooth combination 12", 24 tooth metal 12", 7 tooth wood
9370C	7½", 9 tooth wood 7½", 18 tooth metal 7½", 24 tooth metal
7-03	18 tooth metal
8-04	24 tooth metal
9-01	9 tooth wood
109	10 tooth combination
249	24 tooth metal
279	7 tooth wood

\* Denotes carded or packed in vinyl pouch.






**Millers Falls**


**hand tools**

## SAW SETS



\*789C

**Saw Knife Set.** Includes 9333 Utility Knife handle, 7-03, 8-04 and 9-01 Keyhole Saw Blades and five utility knife blades. Carded.



9095

**Multi-Purpose Saw Set.** Includes 10" Keyhole Saw, 12" Back Saw, 15" Pruning Saw and 16" Panel Saw. Easily interchangeable blades for all-around home and hobby use.



9030

**30" Bow Saw.** The perfect hobby and camping saw. Strong, lightweight, rustproof red tubular frame. Cam lever blade tensioning.

**Bow Saw Replacement Blade.** For use with Model 9030. 30" long, raker and four.




9021

**21" Bow Saw.** Ideal for backpacking. Sturdy, yet lightweight, red tubular frame. Cam action blade tensioning.

**Bow Saw Replacement Blade.** For use with Model 9021. 21" long, raker and four.

## MITRE BOXES



74

**Deluxe Steel Mitre Boxes With Back Saw.** Millers Falls mitre boxes, world famous for quality, offer years of rugged, accurate performance. One piece cast iron bed and back for strength. Offset steel legs for improved stability. "Oilite" bearing saw guides. Steel swing lever and posts. Graduated arc and index plate. Extendable swing lever travels freely from 45° to 90°, right or left, and locks at any desired angle (automatic locks at 0°, 9°, 22½°, 30° and 45°, right or left). Automatic catch holds saw elevated when desired. Length gauge and acute angle adjustment are standard.

Cat. No.	Specifications
789C	7½" long, 18 tooth and 24 tooth metal blades, 9 tooth wood blade, pkg. of five utility knife blades
9095	10" keyhole saw 12" back saw 15" pruning saw 16" panel saw
9030	30" blade, raker and four
6530	30" long, raker and four
9021	21" blade, raker and four
6521	21" long, raker and four
74	28" x 5" saw Capacity: 10½" at 90°, 7¼" at 45°
76	30" x 6" saw Capacity: 10½" at 90°, 7¼" at 45°






**Millers Falls**

**hand tools**

## MITRE BOXES (continued)



1124

### Mitre Box With Back Saw.

Patterned after the Deluxe Millers Falls but smaller scale. Most accurate mitre box of its size on the market. One piece cast iron bed and back. Legs are offset so box will not tip when saw pressure is applied. Swing lever (45° to 90°, right or left) automatically locks in most used angles. All exposed parts except saw nickel plated for longer life. Automatic catch holds saw elevated when desired.



1816-01

### Adjustable Mitre Box.

Sturdy steel and wood construction. Die-cast guide post holds steel saw guides. Positive depth lock, adjustable 0" to 3". Accurate angle cuts from 0° to 50° with graduated index plate and quick-action lock. Lacquered hardwood bed. Front legs "lipped" for bench stops when sawing. Accommodates hand or back saw.



1404



1407C



1409

## SCRAPERS/KNIVES

**Putty Knife.** Tapered spring steel blade tempered and polished. Hardwood handle has hang hole. "C" denotes carded.

**Wall Scraper.** Tapered spring steel blade tempered and polished. Hardwood handle has hang hole. "C" denotes carded.

**Spackling Knife.** Tapered spring steel blade tempered and polished. Hardwood handle has hang hole. "C" denotes carded.

**Linoleum Knife.** Taper ground plated quality steel blade. Comfortable wood handle. Carded.

**Fixed Blade Utility Knife.** Die-cast handle contains two extra blades. Three positions for scoring, carton opening and deep cutting. Hang hole. "C" denotes carded.



9333C



115C

Cat. No.	Specifications
1124	24" x 4" saw Capacity: 8¾" at 90°, 6" at 45° mitre
1816-01	16" x 4" saw Capacity: 3" Maximum Depth of Cut
1404 1404C	1¼" wide blade
1407 1407C	3" wide blade
1409 1409C	5" wide blade
115C	
9333 9333C	5¾" overall length





# **Millers Falls** *hand tools*

## **KNIVES (continued)**



6618C



9318C



\*266C



\*9111C



2618C


**Retractable Blade Utility Knife.** Thumb control adjusts blade to three locking positions. Die-cast handle provides handy blade storage. Hang hole. Carded.

**Tini-Knife.** Pocket size, adjusts to three positions. Locks for safety. Spare blade in handle. Handy key chain. Carded.


**Utility Knife Replacement Blades.** For use with 9333, 9333C and 9111C Utility Knives. Tempered, ground with three notches. "C" denotes carded, or pkg. of five.

**Utility Knife Hook Shaped Blade.** For use with Millers Falls and many other makes of utility knives. Adjusts to two positions. Five blades per card.

**Tini-Knife Replacement Blade.** For use with Millers Falls Tini-Knife. Five blades per card.



9



9814

## **PLANES**

**Fully Adjustable Bench Jack Planes.** Milled and polished bottom and sides. One piece high quality tool steel cutter. Adjustable depth and side. Nickel plated lever cap. Hardwood handle and knob.

**Fully Adjustable Bench Jack Planes.** Polished bottom, high quality tool cutter. Easy side and depth adjustment.

**Fully Adjustable/Low Angle Block Plane.** Low angle, adjustable throat. Screw depth adjustment. Highest quality tool steel cutter with milled sides and bottom.

**Fully Adjustable Block Plane.** Cap with lever cam lock. Screw depth adjustment. High quality tool steel cutter with polished sides and bottom.



56



75-01

Cat. No.	Specifications
9111C	6" overall length
266C	
3318	Standard .018 inch
9318C	Standard .018 inch
3325	Heavy duty .025 inch
9325C	Heavy duty .025 inch
6618C	.018 inch
2618C	.018 inch
9	9" long, 2" cutter
14	14" long, 2" cutter
8900	9" long, 2" cutter
9814	14" long, 2" cutter
56	6" long, 1 3/8" cutter
75-01	7" long, 1 5/8" cutter

\* Denotes carded or packed in vinyl pouch.





**Millers Falls**

**hand tools**

## PLANES (continued)



8455

8707


**Adjustable/Low Angle Block Plane.** 12° low angle with screw adjustment for depth. High quality tool steel cutter. Polished bottom. Ideal for smoothing end grains and for shaping, trimming, and cleaning wood.

**General Purpose Block Plane.** 20° angle, high quality tool steel cutter. Polished bottom. Great for smoothing rough edges, drill holes, beveling, etc.



9033C

**Mini-Plane.** Ideal for model making, sculpture and other close quarter work. Carded.



3912C

3915C

3919C

## SHEARS/SNIPS

**Metal Cutting/Straight Shears.** Drop forged, hollow ground and heat treated. Straight pattern. Carded.

**Metal Cutting/Circular Shears.** Drop forged, hollow ground and heat treated. Circular pattern. Carded.

**Aviation Type Snips.** Powerful aviation type snips will cut metals up to 18 gauge. Blade has serrated edges for faster, easier cutting. Contoured plastic grip. Drop forged. 10" length. Available in straight, left and right cutting styles. Carded.

Cat. No.	Specifications
8455	7" long, 1 3/8" cutter
8707	7" long, 1 5/8" cutter
9033C	3 1/2" long
3911C	7" length
3912C	10" length
3913C	12 3/4" length
3914C	7" length
3915C	10" length
3916C	12 3/4" length
3917C	Left cut, 10" long
3918C	Right cut, 10" long
3919C	Straight cut, 10" long






**Millers Falls**

**hand tools**

## PLUMBING TOOLS

\*4307C



**Tubing Cutter.** Hardened alloy steel blade and special flare cut-off rollers. Retractable reamer blades. Carded.


**Tubing Flaring Tool.** Ball bearing mounted. Tapered cone. Can be used with  $\frac{3}{16}$ " to  $\frac{5}{8}$ " tubing.



4308

**3-Step Tap.** Taps, re-taps and threads sizes 10-32, 8-32 and 6-32. Carded.

**Tap Wrenches.** Sliding T-handle allows use of greater pressure. Used for holding taps, drills, reamers and other small tools which are turned by hand. Chuck head centered to allow use on lathe centers or vertical drilling machines as work starter.



11-01



\*46C

## WRENCHES

**Hex Key Wrench Set.** Seven piece set with standard shanks includes  $\frac{5}{64}$ " through  $\frac{1}{4}$ " sizes. Hardened, tempered high-carbon tool steel with rust-resistant plating. Carded.




215C

**Hex Key Wrench Set.** Hardened, tempered high-carbon tool steel with rust-resistant plating. Fifteen piece set with standard shanks Carded.



318C

**Hex Key Wrench Set.** Hardened, tempered high-carbon tool steel with rust-resistant plating. Eighteen piece set includes some 215C sizes, plus longer shanks in some sizes. Carded.



1451

**Locking Grip Plier.** Locks vise-tight with adjustment to  $1\frac{1}{2}$ ". Quick action release.

Cat. No.	Specifications
4307C	$\frac{1}{8}$ " to $1\frac{1}{8}$ " O.D. capacity
4308	$\frac{3}{16}$ " to $\frac{5}{8}$ " O.D. capacity
46C	10-32, 8-32, 6-32 capacity
10-01	$\frac{1}{16}$ " to $\frac{7}{32}$ " capacity
11-01	$\frac{3}{32}$ " to $\frac{5}{16}$ " capacity
12-01	$\frac{1}{4}$ " to $\frac{1}{2}$ " capacity
187C	7-piece set includes $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{7}{32}$ " and $\frac{1}{4}$ " wrenches
215C	15-piece set includes $\frac{3}{64}$ ", $\frac{1}{16}$ ", $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{9}{64}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{7}{32}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", .028", .035" and .050" wrenches
318C	18-piece set includes: Standard Shanks $\frac{1}{16}$ ", $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{7}{64}$ ", $\frac{1}{8}$ ", $\frac{9}{64}$ ", $\frac{5}{32}$ ", $\frac{7}{32}$ " and .050 Long Shanks $\frac{1}{16}$ ", $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{7}{64}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{1}{4}$ ", and $\frac{5}{16}$ "
1451	8" length, adjustment to $1\frac{1}{2}$ "

\* Denotes carded or packed in vinyl pouch.





**Millers Falls**

**hand tools**

## BEVELS



\*2




98



8050




9122



9-03

25



\*1461C



\*1560C



\*160C

**Bevel.** Steel blade and hardwood handle with rust resistant brass locking nut.

## PLUMB BOBS

**Plumb Bobs.** Accurately machined-turned from cold rolled steel with carefully sharpened points. Nickel plated. "C" denotes carded.

## CHALK LINES/CHALK

**Chalk Lines.** Die-cast aluminum housing with slide-action lock and hook ring. Lock releases automatically when rewound. Plumb bob top opens for easy refilling.

**Replacement Chalk Lines.** Heavy woven nylon lines on spools. Packed six per box.

**Marking Chalk.** Micro-fine chalk for five times more marking power. Eight ounce plastic squeeze container.

**Marking Chalk.** Packaged in one ounce cellophane packets.

## THICKNESS GAUGES

**Thickness Gauges.** Precision leaves etched in decimal and metric calibrations. Positive lock nut ensures accuracy.

## FOLDING RULES

**6 Ft. Extension Rule.** Extra heavy hardwood with heavy duty brass spring joints and strike plates. 6" brass extension for use on inside measure or as depth gauge. Yellow face with 16th graduations. Carded.

**Deluxe 6 Ft. Folding Wood Rules.** Six foot hardwood with heavy duty brass joints. White face with 16th graduation on four edges. Available in outside regular and inside flat models. Carded.

**6 Ft. Folding Wood Rules.** Six foot hardwood with brass plated joints. 16th graduations in easy reading white face. Available in outside and inside reading models. Carded.

Cat. No.	Specifications
98	8" long
1	2½ oz.
2 2C	5 oz.
3 3C	8 oz.
4	12 oz.
8050 8100	50 ft. 100 ft.
8051 8101	50 ft. 100 ft.
9122 9123 9124	Blue Red White
8121 8122 8123	White Blue Red
9-03	9 each 3¼" x ½" leaves, sizes .0015 to .020
25	25 each 2¾" x ½" leaves, sizes .0015 to .0250
160C	⅝" wide, 6' long
1560C 1561C	Outside regular Inside flat
1460C 1461C	6 ft. outside 6 ft. inside

\* Denotes carded or packed in vinyl pouch.





**Millers Falls**

**hand tools**

## TAPE RULES



\* 7406C

**"Slim Line" Auto-Rewind Blades.**  
1/4" wide white blade locks tight to prevent creeping, rewinds automatically. Overall blade graduated in 16ths, first six inches graduated in 32nds. Case is exactly 2" wide at base for accurate inside measuring. Carded.



\* 1510C

### PUSH/PULL RULES.

1/2" and 3/4" wide white blades. Quick-read feet and inches on upper edge and continuous inches on lower edge. 16" stud markings are clearly indicated. Case exactly 2" wide at base. Belt loop on back of case. Graduated in 8ths and 16ths overall, 32nds first six inches. Carded.



\* 4912C

**Quick-Coil Power Rules.** 1/2" wide instant power recoil with belt clip. White blade with 16" stud markings and inch and foot markings. Graduated 8ths and 16ths overall, 32nds first six inches. Available in English, Metric and Metric/English graduations. Carded.



8012C

### Quick-Lock Power Rules.

Available in 1/2" and 3/4" wide blade models. Push-button lock prevents creeping. White Mylar protected blade has 16" stud markings. Graduated in 8ths and 16ths. Belt clip. Carded.

Cat. No.	Specifications
7406C	1/4" wide x 6 ft. long
7408C	1/4" wide x 8 ft. long
7410C	1/4" wide x 10 ft. long
1506C	1/2" wide x 6 ft. long
1508C	1/2" wide x 8 ft. long
1510C	1/2" wide x 10 ft. long
1512C	1/2" wide x 12 ft. long
1610C	3/4" wide x 10 ft. long
1612C	3/4" wide x 12 ft. long
1616C	3/4" wide x 16 ft. long
4908C	<b>ENGLISH</b> 1/2" wide x 8 ft. long
4910C	1/2" wide x 10 ft. long
4912C	1/2" wide x 12 ft. long
ME4806C	<b>METRIC/ENGLISH</b> 1/2" wide x 2 meters long
ME4810C	1/2" wide x 3 meters long
ME4812C	1/2" wide x 3.65 meters long
M4706C	<b>METRIC</b> 1/2" wide x 2 meters long
M4710C	1/2" wide x 3 meters long
8012C	1/2" wide x 10 ft. long
8212C	1/2" wide x 12 ft. long
8234C	3/4" wide x 12 ft. long
7634C	3/4" wide x 16 ft. long
8260C	3/4" wide x 20 ft. long

\* Denotes carded or packed in vinyl pouch.






**Millers Falls**


**hand tools**

## LONG MEASURE TAPE RULES




RB216

**Replacement Tape Rule Blades.**  
1/2" and 3/4" wide, white face.



3100C



1100C


**Standard 3/8" Wide Steel Blade.**  
Durable steel case with black plastic covering. Winding handle folds flush. 16" stud markings clearly indicated on yellow face. Hooked end. Available in 50 ft. and 100 ft. lengths. Carded.

**Deluxe 3/4" Wide Steel Blade.**  
Rust resistant steel case with red vinyl covering. Flush winding handle has instant release button. Stainless steel trim. Yellow face (white on metric models) with 16" stud markings, inches, fractions and foot figures. Carded.



1051

**Long Tape Rule Replacement Blades.** 3/8" and 3/4" wide flexible blades for 1000 and 3000 series long tape rules.



1336

**Tempered Aluminum Yardstick.** Stamped with moulding styles, nail sizes and 16th graduations. Hang hole. Individually packed in clear plastic sleeve.



624

**Heavy Duty Six-Vial Aluminum Levels.** Heavy duty die-cast frame with precision machined surfaces for highest accuracy. Six extra large vials are set in plaster of paris for protection and longer life.

## LEVELS



824

**Four-Vial Aluminum Level.** Die-cast frame with machined surfaces for accuracy. Top edge graduated. Four protected vials—two level and two plumb cats-eye. Painted surfaces.



9424

**Four-Vial Aluminum Levels.** Die-cast frame with machined surfaces for accuracy. Four protected vials—two level and two plumb cats-eye. Black surfaces.



648

**Aluminum Mason's Level.** Heavy duty aluminum with top, sides and ends accurately machined. Six vials protected by thick glass.

Cat. No.	Specifications
RB6	1/2" wide x 6 ft. long
RB8	1/2" wide x 8 ft. long
RB10	1/2" wide x 10 ft. long
RB12	1/2" wide x 12 ft. long
RB610	3/4" wide x 10 ft. long
RB612	3/4" wide x 12 ft. long
RB216	3/4" wide x 16 ft. long
RB620	3/4" wide x 20 ft. long
1050C	3/8" wide x 50 ft. long
1100C	3/8" wide x 100 ft. long
<b>ENGLISH</b>	
3050C	3/4" wide x 50 ft. long
3100C	3/4" wide x 100 ft. long
<b>METRIC</b>	
M3050C	3/4" wide x 15 meters long
M3100C	3/4" wide x 30 meters long
1051	3/8" wide x 50 ft. long
1101	3/8" wide x 100 ft. long
3051	3/4" wide x 50 ft. long
3101	3/4" wide x 100 ft. long
1336	3 ft. long
618	18" long, 6 vials
624	24" long, 6 vials
628	28" long, 6 vials
630	30" long, 6 vials
824	24" long, 4 vials
9424	24" long, 4 vials
9428	28" long, 4 vials
9448	48" long, 4 vials
648	48" long, 6 vials





**Millers Falls**

**hand tools**

**LEVELS (continued)**



748

**Mahogany Mason's Level.** Solid selected mahogany sealed against moisture. Angle type brass binding on all edges with protective brass end plates. Six vials protected by thick glass.



\*629C

**"Snap-Lock" Line Level.** 3" long with cats eye vial set in hexagon aluminum case. Snaps and locks onto level line for determining grades, laying foundation, trimming hedges, etc. Carded.



\*190C

**Magnetic Torpedo Level.** Die-cast aluminum with three cats eye vials—one level, plumb and 45° mitre. Permanent ceramic magnet adheres to pipe, steel and tubing. V-grooved bottom. Vinyl pouch.



\*1250C

**SQUARES**

**Combination Square.** Heavy head with 12" stainless blade. Notched and graduated. Scriber and level included. Carded.



1200

**Combination Square.** Heavy head with 12" stainless steel blade. Etched graduations. Includes level and scriber.



1280

**Combination Square.** Rust resistant black, non-glare blade with white graduations. Black finish on head. Includes level and scriber. Available in English and Metric models.



\*1270C

**Combination Square.** Polished and ground blade. Die-cast head with level and scriber. Available in English, Metric and English/Metric models. "C" denotes carded.



1290

**Combination Square with Center Head.** Fully rust resistant square complete with center head. Durable black finish on square head and center head. Jet black blade has clear white figures and graduations. Ground edges and ends. Includes scriber and level.

Cat. No.	Specifications
748	48" long, 6 vials
629C	3" long, 1 vial
190C	9" long, 3 vials
290C	Non-magnetic 9" long, 3 vials
1250C	12" blade 8ths and 16ths one side, 16ths and 32nds on reverse
1200	12" blade 8ths and 16ths one side, 16ths and 32nds on reverse
1280	<b>ENGLISH</b> 12" blade 8ths and 16ths one side, 16ths and 32nds on reverse
1281M	<b>METRIC</b> 30 cm blade
1270 1270C	<b>ENGLISH</b> 12" blade 8ths and 16ths one side, 16ths and 32nds reverse
1271M	<b>METRIC</b> 30 cm blade
1296EM	<b>METRIC/ENGLISH</b> 30 cm blade
1290	<b>ENGLISH</b> 12" blade 8ths and 16ths one side, 16ths and 32nds on reverse
1291M	<b>METRIC</b> 30 cm blade





**Millers Falls**

**hand tools**

## SQUARES




1276C

**Combination Square with Center Head.** Stainless steel blade has ground edges and easy-to-read graduations. Center head aids lathe work, centering and checking. Graduated in 8ths and 16ths one side, 16ths and 32nds on reverse. Includes scriber and level.

**Combination Square.** 6" machine graduated steel blade. Zinc die-cast head with black finish. Includes level and scriber. Graduated in 8ths and 16ths one side, 16ths and 32nds on reverse. Carded.




1498



1408

**Rafter Squares.** Black steel finish with white markings. Includes rafter table, brace table, essex board, octagon scale and 100th scale. Face graduated in 8ths and 16ths, back graduated in 10ths, 12ths and 16ths. Available in English and Metric models.

**Rafter Square.** Polished steel finish, graduated in 8ths. Includes rafter table.




1400

**Framing Square.** Polished steel finish, 4ths and 8ths graduations. Includes essex board.



1401

**Rafter Square.** Blued steel finish with white graduations in 4ths and 8ths. Includes framing table and essex board.



1406

**Rafter Square.** Highly polished steel finish with lacquered, yellow fluorescent graduations in 4ths and 8ths. Includes essex board and framing table.



1402

**Rafter Square.** Lightweight aluminum alloy with polished finish. Includes rafter table, framing table, essex board, octagon scale, 100th scale and brace table. Face graduated in 10ths and 12ths.

Cat. No.	Specifications
1294	12" blade
1276C	6" blade
1498	<b>ENGLISH</b> Body 24" x 2" Tongue 16" x 1 1/2"
1420M	<b>METRIC</b> Body 24" x 2" Tongue 16" x 1 1/2"
1408	Body 24" x 2" Tongue 16" x 1 1/2"
1400	Body 24" x 2" Tongue 16" x 1 1/2"
1401	Body 24" x 2" Tongue 16" x 1 1/2"
1406	Body 24" x 2", Tongue 16" x 1 1/2"
1402	Body 24" x 2", Tongue 16" x 1 1/2"







**Millers Falls**

**hand tools**

## DIVIDERS



\*204C



\*206C


**Wing Dividers.** Two fixed legs for sheet metal work. All steel components with two fully hardened straight points. Spring tensioned fine adjustment. Knurled binding screw locks quadrant. Carded.

**Carpenters' Dividers.** Features one replaceable leg designed to hold standard  $\frac{5}{16}$ " pencil to make carpenters' compass. All steel components. Spring tensioned fine adjustment. Knurled binding screw locks quadrant. Carded.


**Fully Adjustable Wing Dividers.** Two fully hardened replaceable  $\frac{5}{16}$ " straight points. All steel components. Features spring tensioned fine adjustment and knurled binding screw to lock quadrant. Carded.

**Linoleum/Flooring Dividers.** Features one replaceable straight leg and one replaceable bent divider point. Both legs are completely adjustable for positioning and scribing, or for marking irregular profiles on linoleum or flooring. All steel components with spring tensioned fine adjustment. Carded.

## BRACES



732



1950

**Professional Ratchet Braces.** First choice of carpenters and professionals. Boxed ratchet and self-centering chuck. Holds round or square bits from  $\frac{1}{8}$ " to  $\frac{1}{2}$ ". Ball bearing head and sweep. *Steel collar.*

**Ratchet Brace.** Semi-boxed ratchet with ring shift. Barber pattern chuck with forged steel jaws. Durable impact resistant handle and head. Ball bearing head and sweep.

Cat. No.	Specifications
203C	7" length, two fixed legs
204C	7" length, one replaceable leg
205C	7" length, two replaceable legs
206C	7" length, two replaceable legs
730	14" sweep
731	12" sweep
732	10" sweep
733	8" sweep
1950	10" sweep





**Millers Falls**

**hand tools**

## BRACES

**Ratchet Brace.** Semi-boxed ratchet with alligator jaws. Durable impact resistant plastic handle and head.

**Ratchet Brace.** Barber pattern chuck with alligator jaws and semi-boxed steel ratchet. Ball bearing head and sweep.

**Corner Brace.** Designed for boring in corners against walls and beams. Machine cut exposed gears. Nickel plated.

**Screwdriver Bits.** For use with all Millers Falls and other make braces. For slotted head screws.



**Extension Bit.** Follow through  $\frac{1}{16}$ " or larger. Replaceable jaws hold shank or square socket.

## HAND DRILLS

**Professional Automatic Drill.** Quick action chuck locks point securely. Handle holds up to 8 points. Indexed by size and gauge. "C" denotes carded.

**Automatic Drill.** Quick action chuck. Handle holds up to 12 points. Extra strong return spring. Nickel plated parts. "C" denotes carded.

Cat. No.	Specifications
2410	10" sweep
1710	10" sweep
502	10" sweep
351-01	$\frac{1}{4}$ " dia. blade
351-02	$\frac{5}{16}$ " dia. blade
351-03	$\frac{3}{8}$ " dia. blade
35-18	18" length
185	
185C	
170	
170C	



170



185





**Millers Falls**

**hand tools**

## DRILL POINTS

401-05




401


**Drill Points.** Hardened tool steel. For use with Millers Falls Models 170, 170C, 185 and 185C; all Yankee models. Packed 12 per plastic vial.

**Drill Point Set.** Includes one each of above points. Carded.

**Drill Point Sets.** Assortment of four different size points. Carded.



1234C




120

**Breast Drill.** 3-jaw  $\frac{1}{2}$ " capacity chuck. Two speed ratios—3:1 and 1:1. Steel pinions.



2-01

**Hand Drill.** Sturdy frame with  $4\frac{1}{2}$ :1 gear ratio. Hardwood handle holds eight drill points  $\frac{1}{16}$ " through  $\frac{1}{4}$ ".  $\frac{3}{8}$ " capacity chuck.



5

**Hand Drill with Drill Bit Set.** Heavy cast frame and gears with large drive wheel. Hardwood handle holds bits. Quality  $\frac{1}{4}$ " capacity chuck. Includes set of 8 drill bits—sizes  $\frac{1}{16}$ " to  $\frac{1}{4}$ ".

Cat. No.	Specifications
401-01	$\frac{1}{16}$ " diam.
401-02	$\frac{5}{64}$ " diam.
401-03	$\frac{3}{32}$ " diam.
401-04	$\frac{7}{64}$ " diam.
401-05	$\frac{1}{8}$ " diam.
401-06	$\frac{9}{64}$ " diam.
401-07	$\frac{5}{32}$ " diam.
401-08	$\frac{11}{64}$ " diam.
401	8-piece set includes $\frac{1}{16}$ ", $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{7}{64}$ ", $\frac{1}{8}$ ", $\frac{9}{64}$ ", $\frac{5}{32}$ " and $\frac{11}{64}$ " points
1234C	$\frac{1}{16}$ ", $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{7}{64}$ " points
5678C	$\frac{1}{8}$ ", $\frac{9}{64}$ ", $\frac{5}{32}$ ", $\frac{11}{64}$ " points
120	$\frac{1}{2}$ " capacity, 16" overall length
2-01	$\frac{3}{8}$ " capacity
5	$\frac{1}{4}$ " capacity






**Millers Falls**


**hand tools**

## HAND DRILLS



78

**Hand Drill.** Sturdy solid gear on heavy die cast frame. Hardwood handle holds extra bits. Quality 1/4" capacity chuck.



2500

**Hand Drill.** Solid steel frame with machine cut gear teeth. Hardwood handle. Quality 1/4" capacity, 3-jawed chuck.

## SCREWDRIVERS

**Spiral Ratchet Screwdrivers.** Reversible heavy duty industrial model with quick return. Spring loaded chuck holds blade firmly with quick change release. Three position ratchet control.

**Spiral Ratchet Screwdriver.** Reversible for fast driving and drawing. Carded.

**Spiral Ratchet Screwdriver with Bits.** Reversible screwdriver holds four bits in transparent plastic handle. Carded.



\* 631C



9631C



611

**Screwdriver Bits.** For use with spiral ratchet screwdrivers.



P-11

Cat. No.	Specifications
78	1/4" capacity
2500	1/4" capacity
611	20 1/2" length
621	27" length
631C	10" length
9631C	10" length
<b>FOR MODEL 611</b>	
P11	#1 Phillips
P12	#2 Phillips
P13	#3 Phillips
1201	3/32" Flat
1202	1/4" Flat
1203	3/32" Flat
<b>FOR MODEL 621</b>	
P21	#1 Phillips
P22	#2 Phillips
P23	#3 Phillips
1166	1/4" Flat
1167	3/32" Flat
1168-01	5/16" Flat
<b>FOR MODELS 631C &amp; 9631C</b>	
P17	#1 Phillips
P27	#2 Phillips
299	1/4" Flat

\* Denotes carded or packed in vinyl pouch.





# **Millers Falls** *hand tools*


## **SCREWDRIVERS**

### **950 Series Professional Quality Screwdrivers**

Chrome vanadium blade with epoxy lacquer finish, bare edge and fully ground tip. Tempered over complete length. Large shockproof six-fluted plastic handles. Amber with black stripes.



950-01



951-04



952-04



953-04



955



954



960-02

### **750 Series Screwdrivers**

Bright plated hardened and tempered alloy steel blades. Four-fluted clear plastic handles with red stripes.



750-01



751-03




753-03



755



754



760-02

Cat. No.	Point Size	Blade Length	Shank Diam.
<b>Round Shank Phillips Head</b>			
950-01	#1	3"	
950-02	#2	4"	
950-03	#3	6"	
<b>Round Shank Flat Blade</b>			
951-04		4"	1/4"
951-06		6"	5/16"
951-08		8"	3/8"
<b>Square Shank Flat Blade</b>			
952-04		4"	1/4"
952-06		6"	5/16"
952-08		8"	3/8"
952-10		10"	3/8"
<b>Round Shank Cabinet Blade</b>			
953-04		4"	3/16"
953-06		6"	3/16"
953-08		8"	3/16"
<b>Round Shank Pocket Blade</b>			
955		4"	1/8"
<b>Stubby Square</b>			
954		1 1/2"	1/4"
<b>Stubby Phillips</b>			
960-02	#2	1 1/2"	
<b>Phillips Head</b>			
750-01	#1	3"	
750-01	#2	4"	
750-03	#3	6"	
<b>Round Shank</b>			
751-03		3"	1/4"
751-04		4"	1/4"
751-06		6"	5/16"
<b>Cabinet Blade</b>			
753-03		3"	3/16"
753-04		4"	3/16"
753-06		6"	3/16"
<b>Pocket Blade</b>			
755		2"	1/8"
<b>Stubby Square</b>			
754		1 1/2"	1/4"
<b>Stubby Phillips</b>			
760-02	#2	1 1/2"	





**Millers Falls**

**hand tools**

**SCREWDRIVERS**

**550 Series Screwdrivers**

Bright plated hardened tool steel blades. Six-fluted amber plastic handle with red stripes. Carded.



\*550-02C



\*533-04C



\*551-03C




\*555C

**4400 Series Professional Quality Screwdrivers**

Chrome vanadium blades with cross ground tips and rust proof finish. Black cushion grips of nitrile rubber securely interlocked to durable amber plastic handles to give maximum turning power. Patented design for extra comfort.



4457



4465



4452



4460



4454



4458

Cat. No.	Point Size	Blade Length	Shank Diam.
<b>Phillips Head</b>			
550-01C	#1	3"	
550-02C	#2	4"	
<b>Round Shank</b>			
551-03C		3"	1/4"
551-04C		4"	1/4"
551-06C		6"	1/4"
<b>Cabinet Blade</b>			
533-04C		4"	3/16"
<b>Pocket Blade</b>			
555C		2"	1/8"
<b>Phillips Head</b>			
4455	#1	3"	
4456	#2	4"	
4457	#3	6"	
<b>Electricians' Round Shank</b>			
4463		3"	1/4"
4464		4"	3/16"
4465		6"	3/16"
<b>Mechanics' Round Shank</b>			
4450		3"	3/16"
4451		4"	1/4"
4452		6"	5/16"
4453		8"	3/8"
<b>Mechanics' Square Shank</b>			
4459		4"	1/4"
4460		6"	5/16"
4461		8"	3/8"
4462		10"	3/8"
<b>Stubby Square</b>			
4454		1 1/2"	1/4"
<b>Stubby Phillips</b>			
4458	#2	1 1/2"	

\* Denotes carded or packed in vinyl pouch.






**Millers Falls**

**hand tools**

## SCREWDRIVERS




\* 9524C



677-08

**950 Series Screwdriver Set.**  
Includes one each 951-04,  
951-06, 953-04 and 950-02.  
Packaged in heavy plastic pouch.

**Screwdrivers.** Torque tested  
hardened and tempered head is  
locked to blade shank. Hardwood  
handle.



199C

**Offset Screwdriver.** Developed  
for close-quarter use. Four  
flat blades, two angled 90° and  
two angled 45°. "C" denotes  
carded.

**Combination Offset Screwdriver.**  
Dual blade has 1/4" flat and #2  
Phillips blades. Hardened and  
tempered alloy steel. Carded.



\*9797C



365



\* 270C



10

## MISCELLANEOUS

**Awl.** Alloy steel blade firmly set  
in hardwood handle. 2 3/4"  
hardened and tempered point.  
"C" denotes carded.

**Awl.** 3 1/2" hardened and tempered  
steel point runs through  
hardwood handle. Polished alloy  
steel. Carded.

**Awl.** Forged and tempered heavy  
duty blade runs through handle  
and locks into steel head. 3 3/4"  
polished point. "C" denotes  
carded.

Cat. No.	Specifications
9524C	4-piece set includes 1/4" x 4" flat 5/16" x 6" flat 3/16" x 4" cabinet #2 x 4" phillips
677-04 677-06 677-08	1/4" diam., 4" length 5/16" diam., 6" length 3/8" diam., 8" length
199 199C	5 1/4" length
9797C	4 1/2" length
10 10C	4 3/8" overall length
270C	6 1/4" overall length
365 365C	7" overall length

\* Denotes carded or packed in vinyl pouch.



**Millers Falls**

**hand tools**

## MISCELLANEOUS



106C

**7-Piece Carving Tool Set.** For intricate carving in wood, soap and linoleum. Forged tool steel, heat treated, polished and ground. Six different shaped cutting tools and special sharpening stone. Carded.



107C

**Deluxe 6-Piece Carving Tool Set.** Five different cutting tools and special sharpening stone. Maple handles fit snugly into palm for improved control. Carded.



\* 1-01

**Glass Cutter.** Turret head cutter has six wheels mounted on numbered turret axle. Carded.



\* 337C

**Glass Cutter.** Heavy cast iron cutter shaped to fit fore finger and thumb. Three breaker notch widths. Carded.



\* 66C

**Professional Glass Cutter.** Designed for glass factories and frequent users. Precision ground carbide wheel. Three ground notch widths. Carded.

**Glass Cutter Replacement Wheels.** For use with above glass cutters.

Cat. No.	Specifications
106C	All 6¼" long
107C	All 5" long
1-01C	5¾" long
337C	5" long
66C	5¼" long
9001 D-01 66-01	For 1-01C For 337C For 66C

\* Denotes carded or packed in vinyl pouch.





**Millers Falls**

**hand tools**

**MISCELLANEOUS**



130-12




379C



39



\* 9211C



9923



1550-01

**Polishing Head.** Complete with  $\frac{3}{8}$ " chuck. Pulley for V or round belt with  $\frac{1}{2}$ " spindle diameter.  $5\frac{21}{32}$ " from shaft center to base.

**Sawhorse Brackets.** Heavy gauge pressed steel brackets for standard 2x4's. Special display package.

**Wood Scrapers.** Tempered tool steel blade has four scraping edges—two edges ready for use, two edges available by reversing blade. Paint brush type hardwood handles.

**Wood Scraper Replacement Blades.** For use with above Wood Scrapers.

**Tack Claw.** Forged claw with bevel ground blade. Handy for any size tacks, brads. Carded.

**Bench Vise.** 11 lb. vise features pipe holding jaws and swivel base. Jaws tempered and hardened.

**Bench Vise.** 13 lb. vise features pipe holding jaws and swivel base. Jaws tempered and hardened.

**Steel Letters and Figures.** Machine cut from precision master dies. Cleaner, sharper characters. Hardened and tempered heads and faces. Gothic Type. "A" through "Z" letters, 0 through 8 figures (6 reverses for 9).

Cat. No.	Specifications
130-12	$\frac{3}{8}$ " chuck, $\frac{1}{2}$ " spindle
379C	For standard 2" x 4" lumber
51	1½" cutter
39	2½" cutter
346	For Model 39
356	For Model 51
9211C	7" length
9923	3½" jaw width, 3" opening
9924	4" jaw width, 3¾" opening
1500-01	<b>STEEL LETTER SETS</b> ¼" height
1500-02	
1500-03	
1500-04	
1500-05	
1500-07	
1500-08	
1550-01	<b>STEEL FIGURE SETS</b> ¼" height
1550-02	
1550-03	
1550-04	
1550-05	
1550-07	
1550-08	

\* Denotes carded or packed in vinyl pouch.



**Millers Falls**

**hand tools**

**MISCELLANEOUS**



212-11

**Nail Puller.** Drop forged, heat treated alloy steel with  $\frac{1}{32}$ " hex shank.



118

**Offset Chisel.** 90° offset claw for pounding, 30° chisel prying claw with three beveled nail slots for powerful prying. Drop forged alloy steel.



418

**Ripping Bar.** Drop forged alloy steel with heat treated shank end. Polished chisel blade and dual nail slot.



708

**Utility "Pry Baby."** Heavy spring tempered alloy steel for prying, pulling and scraping. Ground bevel edges and beveled nail slots.



224-11

**Wrecking Bar.** Drop forged alloy steel with polished chisel and deep beveled nail claw.

Cat. No.	Specifications
212-11	10½" long, $\frac{1}{32}$ " hex shank
118	18" long, $\frac{23}{32}$ " hex shank
418	18" long, $\frac{23}{32}$ " hex shank
708	14" long
224-11	24" long, $\frac{23}{32}$ " hex shank